

	Type	Hits	Search Text	DBs
1	BRS	16619	interface\$1 same memory same mode\$1	USPAT; EPO; JPO; DERWENT; IBM TDB
2	BRS	0	(different adj interface\$1) same memory same (different adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM TDB
3	BRS	20	(different adj interface\$1) same memory same mode\$1	USPAT; EPO; JPO; DERWENT; IBM TDB
4	BRS	0	(test adj interface) same (program\$4 adj interface) same (operation adj interface)	USPAT; EPO; JPO; DERWENT; IBM TDB
5	BRS	0	(test adj interface) and (program\$4 adj interface) and (operation adj interface)	USPAT; EPO; JPO; DERWENT; IBM TDB
6	BRS	2	(test adj interface) same (program\$4 adj interface)	USPAT; EPO; JPO; DERWENT; IBM TDB
7	BRS	36	(test adj interface) and (program\$4 adj interface)	USPAT; EPO; JPO; DERWENT; IBM TDB
8	BRS	3	(plurality adj interface\$1) same memory same (plurality adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM TDB
9	BRS	3	(plurality adj interface\$1) same (plurality adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM TDB
10	BRS	24	(plurality adj interface\$1) same memory same mode\$1	USPAT; EPO; JPO; DERWENT; IBM TDB
11	BRS	63695	(interface\$1) same mode\$1	USPAT; EPO; JPO; DERWENT; IBM TDB
12	IS&R	0	("365/\$").CCLS.	USPAT; EPO; JPO; DERWENT; IBM TDB
13	BRS	16354	flash adj memory	USPAT; EPO; JPO; DERWENT; IBM TDB
14	BRS	3	((plurality or multiply) adj interface\$1) same ((plurality or multiply) adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM TDB
15	BRS	2403	((interface\$1) same mode\$1) and (flash adj memory)	USPAT; EPO; JPO; DERWENT; IBM TDB
16	BRS	481	((interface\$1) same mode\$1) same (flash adj memory)	USPAT; EPO; JPO; DERWENT; IBM TDB
17	BRS	110	((plurality or multiply) adj interface\$1) same mode\$1	USPAT; EPO; JPO; DERWENT; IBM TDB
18	BRS	0	(flash adj memory) same (((plurality or multiply) adj interface\$1) same mode\$1)	USPAT; EPO; JPO; DERWENT; IBM TDB
19	BRS	5	(flash adj memory) and (((plurality or multiply) adj interface\$1) same mode\$1)	USPAT; EPO; JPO; DERWENT; IBM TDB
20	BRS	2	((plurality or multiply) adj interface\$1) same (different adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM TDB
21	IS&R	3	("5530379").PN.	USPAT; EPO; JPO; DERWENT; IBM TDB
22	IS&R	0	("test adj interface").PN.	USPAT; EPO; JPO; DERWENT; IBM TDB
23	BRS	2	(test adj interface) same (program adj interface)	USPAT; EPO; JPO; DERWENT; IBM TDB
24	BRS	0	(test adj interface) same (program\$4 adj interface) same (operation\$3 adj interface)	USPAT; EPO; JPO; DERWENT; IBM TDB
25	BRS	0	(test adj interface) same (program\$4 adj interface)	USPAT; EPO; JPO; DERWENT; IBM TDB
26	BRS	2	(test adj interface) same (program\$4 adj interface)	USPAT; EPO; JPO; DERWENT; IBM TDB

	Type	Hits	Search Text	DBs
27	BRS	9	((test\$3 or detect\$3) adj interface) same (program\$4 adj	USPAT; EPO; JPO; DERWENT; IBM TDB
28	IS&R	454	("711/103").CCLS.	USPAT; EPO; JPO; DERWENT; IBM TDB
29	IS&R	551	("365/189.02").CCLS.	USPAT; EPO; JPO; DERWENT; IBM TDB
30	IS&R	524	("365/230.02").CCLS.	USPAT; EPO; JPO; DERWENT; IBM TDB

	Type	Hits	Search Text	DBs
1	BRS	16619	interface\$1 same memory same mode\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB
2	BRS	0	(different adj interface\$1) same memory same (different adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
3	BRS	20	(different adj interface\$1) same memory same mode\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB
4	BRS	0	(test adj interface) same (program\$4 adj interface) same (oprations adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB
5	BRS	0	(test adj interface) and (program\$4 adj interface) and (oprations adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB
6	BRS	2	(test adj interface) same (program\$4 adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB
7	BRS	36	(test adj interface) and (program\$4 adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB
8	BRS	3	(plurality adj interface\$1) same memory same (plurality adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
9	BRS	3	(plurality adj interface\$1) same (plurality adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
10	BRS	24	(plurality adj interface\$1) same memory same mode\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB
11	BRS	63695	(interface\$1) same mode\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB
12	IS&R	0	(365/\$).CCLS.	USPAT; EPO; JPO; DERWENT; IBM_TDB
13	BRS	16354	flash adj memory	USPAT; EPO; JPO; DERWENT; IBM_TDB
14	BRS	3	((plurality or multiply) adj interface\$1) same ((plurality or multiply) adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
15	BRS	2403	((interface\$1) same mode\$1) and (flash adj memory)	USPAT; EPO; JPO; DERWENT; IBM_TDB
16	BRS	481	((interface\$1) same mode\$1) same (flash adj memory)	USPAT; EPO; JPO; DERWENT; IBM_TDB
17	BRS	110	((plurality or multiply) adj interface\$1) same mode\$1	USPAT; EPO; JPO; DERWENT; IBM_TDB
18	BRS	0	(flash adj memory) same (((plurality or multiply) adj interface\$1) same mode\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
19	BRS	5	(flash adj memory) and (((plurality or multiply) adj interface\$1) same mode\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
20	BRS	2	((plurality or multiply) adj interface\$1) same (different adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
21	IS&R	3	("5530379").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB
22	IS&R	0	("test adj interface").PN.	USPAT; EPO; JPO; DERWENT; IBM_TDB
23	BRS	2	(test adj interface) same (program adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB
24	BRS	0	(test adj interface) same (program\$4 adj interface) same (operat\$3 adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB
25	BRS	0	(test adj interface) same (program\$4 adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB
26	BRS	2	(test adj interface) same (program\$4 adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
27	BRS	9	((test\$3 or detect\$3) adj interface) same (program\$4 adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB
28	IS&R	454	(711/103).CCLS.	USPAT; EPO; JPO; DERWENT; IBM_TDB
29	IS&R	551	(365/189.02).CCLS.	USPAT; EPO; JPO; DERWENT; IBM_TDB
30	IS&R	524	(365/230.02).CCLS.	USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	113	(test adj interface) and (operat\$3 adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	4	(test adj interface) and (operat\$3 adj interface) and (program\$4 adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	283	(test adj mode) and (operat\$3 adj mode) and (program\$4 adj mode)	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	18	(test adj mode) and (operat\$3 adj mode) and (program\$4 adj mode) same flash	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	1412	interfaces\$ same modes\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	0	interfaces\$ same (program\$4 adj modes\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	16	interfaces\$ same (test adj modes\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	81	interfaces\$ same (program\$4 adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	130	interfaces\$ same (test\$4 adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	428	interfaces\$ same (operat\$3\$4 adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	1	(interfaces\$ same (program\$4 adj mode\$1)) and (interfaces\$ same (test\$4 adj mode\$1)) and (interfaces\$ same (operat\$3\$4 adj mode\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	1	(interfaces\$ same (program\$4 adj mode\$1)) and (interfaces\$ same (test\$4 adj mode\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	11	(interfaces\$ same (program\$4 adj mode\$1)) and (interfaces\$ same (operat\$3\$4 adj mode\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	10	(interfaces\$ same (test\$4 adj mode\$1)) and (interfaces\$ same (operat\$3\$4 adj mode\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	125118	test near10 (terminal or port or pin or device)	USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	110043	program near10 (terminal or port or pin or device)	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	585954	operation near10 (terminal or port or pin or device)	USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	4263	(test near10 (terminal or port or pin or device)) and (program near10 (terminal or port or pin or device)) and (operation near10 (terminal or port or pin or device))	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	793	((test near10 (terminal or port or pin or device)) and (program near10 (terminal or port or pin or device)) and (operation near10 (terminal or port or pin or device))) and flash	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
50	BRS	63	((test near10 (terminal or port or pin or device)) same (program near10 (terminal or port or pin or device)) same (operation near10 (terminal or port or pin or device))) and flash	USPAT; EPO; JPO; DERWENT; IBM_TDB
51	BRS	3	(test adj terminal) and (program adj terminal) and (operat\$3 adj terminal)	USPAT; EPO; JPO; DERWENT; IBM_TDB
52	BRS	81	(program\$4 adj interface\$1) and (test\$3 adj interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
53	BRS	0	select\$3 near5 ((program\$4 adj interface\$1) and (test\$3 adj interface\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
54	BRS	51	(programming adj interface\$1) and (test\$3 adj interface\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
55	BRS	25	(test adj (port or pin or device or terminal or interface)) same (programming adj (port or pin or device or terminal or interface))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
56	BRS	19	(flash adj memory) same (different adj mode)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
57	IS&R	0	(710/129).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
58	IS&R	0	(710/129).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
59	IS&R	0	(710/129).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
60	BRS	1609	710/129	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
61	BRS	0	((test adj interface) same (program\$4 adj interface)) and 710/129	USPAT; EPO; JPO; DERWENT; IBM_TDB
62	BRS	517	365/189.03	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
63	BRS	0	((test adj interface) same (program\$4 adj interface))	USPAT; EPO; JPO; DERWENT; IBM_TDB
64	BRS	0	((test adj interface) and (program\$4 adj interface))	USPAT; EPO; JPO; DERWENT; IBM_TDB
65	BRS	44	((test adj interface) and (program\$4 adj interface))	USPAT; EPO; JPO; DERWENT; IBM_TDB
66	BRS	1	710/129 and (((test adj interface) and (program\$4 adj interface)))	USPAT; EPO; JPO; DERWENT; IBM_TDB
67	BRS	1	365/189.03 and (((test adj interface) and (program\$4 adj interface)))	USPAT; EPO; JPO; DERWENT; IBM_TDB
68	IS&R	2776	(365/230.06).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
69	BRS	0	((365/230.06).CCLS.) and (((test adj interface) and (program\$4 adj interface)))	USPAT; EPO; JPO; DERWENT; IBM_TDB
70	IS&R	2341	(714/718).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
71	BRS	0	((714/718).CCLS.) and (((test adj interface) and (program\$4 adj interface)))	USPAT; EPO; JPO; DERWENT; IBM_TDB
72	IS&R	303	(326/37).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
73	IS&R	880	(326/38).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
74	IS&R	970	(326/39).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
75	IS&R	981	(326/41).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
76	BRS	0	((326/37).CCLS.) and (((test adj interface) and (program\$4 adj interface)))	USPAT; EPO; JPO; DERWENT; IBM_TDB
77	BRS	0	((326/38).CCLS.) and (((test adj interface) and (program\$4 adj interface)))	USPAT; EPO; JPO; DERWENT; IBM_TDB
78	BRS	0	((326/39).CCLS.) and (((test adj interface) and (program\$4 adj interface)))	USPAT; EPO; JPO; DERWENT; IBM_TDB
79	BRS	1	((326/41).CCLS.) and (((test adj interface) and (program\$4 adj interface)))	USPAT; EPO; JPO; DERWENT; IBM_TDB
80	IS&R	0	(710/129).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
81	IS&R	883	(365/185.33).CCLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
82	BRS	0	((365/185.33).CCLS.) and (((test adj interface) and (program\$4 adj interface)))	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Type	Hits	Search Text	DBs
28	IS&R	454	(711/103).CCLS.	USPAT; EPO; JPO; DERWENT; IBM_TDB
29	IS&R	551	(365/189.02).CCLS.	USPAT; EPO; JPO; DERWENT; IBM_TDB
30	IS&R	524	(365/230.02).CCLS.	USPAT; EPO; JPO; DERWENT; IBM_TDB
31	BRS	113	(test adj interface) and (operat\$3 adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB
32	BRS	4	(test adj interface) and (operat\$3 adj interface) and (program\$4 adj interface)	USPAT; EPO; JPO; DERWENT; IBM_TDB
33	BRS	283	(test adj mode) and (operat\$3 adj mode) and (program\$4 adj mode)	USPAT; EPO; JPO; DERWENT; IBM_TDB
34	BRS	18	(test adj mode) and (operat\$3 adj mode) and (program\$4 adj mode) same	USPAT; EPO; JPO; DERWENT; IBM_TDB
35	BRS	1412	interfaces\$ same modes\$	USPAT; EPO; JPO; DERWENT; IBM_TDB
36	BRS	0	interfaces\$ same (program\$4 adj modes\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
37	BRS	16	interfaces\$ same (test adj modes\$)	USPAT; EPO; JPO; DERWENT; IBM_TDB
38	BRS	81	interfaces\$ same (program\$4 adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
39	BRS	130	interfaces\$ same (test\$4 adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
40	BRS	428	interfaces\$ same (operat\$3\$4 adj mode\$1)	USPAT; EPO; JPO; DERWENT; IBM_TDB
41	BRS	1	(interfaces\$ same (program\$4 adj mode\$1)) and (interfaces\$ same (test\$4 adj mode\$1)) and (interfaces\$ same (operat\$3\$4 adj mode\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB
42	BRS	1	(interfaces\$ same (program\$4 adj mode\$1)) and (interfaces\$ same (test\$4 adj mode\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB
43	BRS	11	(interfaces\$ same (program\$4 adj mode\$1)) and (interfaces\$ same (operat\$3\$4 adj mode\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB
44	BRS	10	(interfaces\$ same (test\$4 adj mode\$1)) and (interfaces\$ same (operat\$3\$4 adj mode\$1))	USPAT; EPO; JPO; DERWENT; IBM_TDB
45	BRS	125118	test near10 (terminal or port or pin or device)	USPAT; EPO; JPO; DERWENT; IBM_TDB
46	BRS	110043	program near10 (terminal or port or pin or device)	USPAT; EPO; JPO; DERWENT; IBM_TDB
47	BRS	585954	operation near10 (terminal or port or pin or device)	USPAT; EPO; JPO; DERWENT; IBM_TDB
48	BRS	4263	((test near10 (terminal or port or pin or device)) and (program near10 (terminal or port or pin or device)) and (operation near10 (terminal or port or pin or device)))	USPAT; EPO; JPO; DERWENT; IBM_TDB
49	BRS	793	((test near10 (terminal or port or pin or device)) and (program near10 (terminal or port or pin or device)) and (operation near10 (terminal or port or pin or device))) and flash	USPAT; EPO; JPO; DERWENT; IBM_TDB
50	BRS	63	((test near10 (terminal or port or pin or device)) same (program near10 (terminal or port or pin or device)) same (operation near10 (terminal or port or pin or device))) and flash	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
28	2001/10/25 14:00			0
29	2001/10/25 14:00			0
30	2001/10/25 14:00			0
31	2002/05/08 12:57			0
32	2002/05/08 13:12			0
33	2002/05/08 13:14			0
34	2002/05/08 14:23			0
35	2002/05/09 09:39			0
36	2002/05/09 09:40			0
37	2002/05/09 09:40			0
38	2002/05/09 09:41			0
39	2002/05/09 09:42			0
40	2002/05/09 09:43			0
41	2002/05/09 09:44			0
42	2002/05/09 09:45			0
43	2002/05/09 09:47			0
44	2002/05/09 09:47			0
45	2002/05/13 13:55			0
46	2002/05/13 13:56			0
47	2002/05/13 14:03			0
48	2002/05/13 14:03			0
49	2002/05/13 14:10			0
50	2002/05/13 14:10			0

	Type	Hits	Search Text	DBs
51	BRS	3	(test adj terminal) and (program adj terminal) and (operat\$3 adj terminal)	USPAT; EPO; JPO; DERWENT; IBM_TDB

	Time Stamp	Comments	Error Definition	Errors
51	2002/05/13 15:59			0